### Final Report for Purchase Order S-97228-E

Title: Beryllium and Born Abundances in Population II Stars

The scientific focus of this program was to undertake UV spectroscopic abundance analyses of extremely metal poor stars with attention paid to determining abundances of light elements such as Beryllium and Boron. The abundances of these elements are likely to reflect primordial abundances within the early galaxy and help to constrain models for early galactic nucleosynthesis. The general metal abundances of these stars are also important for understanding stellar evolution.

Due to observing time constraints imposed by the peer review panel, only one of the program stars was observed by IUE. The star chosen for observation at high dispersion in the LWP camera was HD 52961, a recently discovered peculiar F-type supergiant with a reported metallicity of [Fe/H] = -4.8, the most extremely metal poor star identified in the galaxy. Subsequent analysis of the high dispersion spectrum revealed only upper limits on the Be and B abundances but did yield measurable lines of other atomic species. An abundance analysis was performed and published in the proceedings of "Frontiers of Space and Ground Based Astronomy", 1994, and a copy of the article is attached to the report. Although Be and B were not detected in the original LWP high dispersion spectrum (see attached Figures 1 and 2). It is hoped that improved processing of the IUE images in the IUE final archive project will increase the signal to noise ratios in the spectra allowing a detection. Other sources of funding will be used to support the future analysis of the final archive data.

(NASA-CR-189434) BERYLLIUM AND BORON ABUNDANCES IN POPULATION II STARS Final Report (Computer Sciences Corp.) 5 p

N95-33262

Unclas

G3/90 0058480

# THE ULTRAVIOLET SPECTRUM OF AN EXTREMELY METAL DEFICIENT STAR: HD 52961

J. T. Bonnell
Compton/GRO Science Support Center-CSC, NASA-GSFC, USA

and

M.R. Pérez, B. McCollum IUE Observatory-CSC/Code 684.9, NASA-GSFC, USA

Abstract. We report on an LTE model atmosphere analysis of the UV spectrum of the extremely metal-poor F-type supergiant HD 52961.

## 1 Introduction

The peculiar F-type supergiant, HD 52961, was identified in a search for SAO stars with infrared excess indicative of circumstellar material by Oudmaijer et al.(1992) using the IRAS Point Source Catalog. An analysis of its optical spectrum has shown that this star is a luminous, extremely metal-poor object ([Fe/H] = -4.8), with substantially enhanced C,N,O, and S abundances relative to Fe (Waelkens et al., 1991). These results along with others have led to suggestions in the literature that HD 52961 is a peculiar post-AGB star whose abundance anomalies are caused by a depletion of the low abundance elements on to dust grains (eg. Mathis and Lamers, 1992). We have obtained high resolution spectra of this unusual star with the International Ultraviolet Explorer (IUE) satellite in the range 2200-3200 angstroms and apply an LTE model atmosphere/spectrum synthesis analysis to determine photospheric abundances from the UV spectrum.

## 2 Analysis

The IUE data was compared to Kurucz LTE model atmosphere fluxes, normalized to the observed V magnitude of 7.4. Examples of the comparisons at both low and high resolution are shown in the accompanying figures.

## 3 Results

This analysis finds that the UV spectrum of HD 52961 is consistent with a Teff=6000K, log(g)=0.5 LTE model atmosphere. Further, Fe and Mg (along with Cr, V, and other metals with lines in the UV) have a general range in abundance, [A/H], of other metals with lines in the UV) have a general range in abundance, [A/H], of other metals are at least an order of magnitude more abundant than show Fe and other metals are at least an order of magnitude more abundant than indicated by the optical spectrum, while the [C/H] abundance determined here is slightly less. Reasons for the large discrepancy between the optical and UV

PRECEDING PAGE BLANK NOT FILMED

ORIGINAL PAGE IS OF POOR QUALITY :




Fig. 1. This figure shows the high dispersion data binned to low dispersion and compared to LTE model atmosphere fluxes. The solid line represents the data. The Kurucz model atmosphere fluxes are labeled by the notation Teff/Log(g)/[A/H] and have been normalized to the observed V magnitude.





Fig. 2. This figure shows the comparison of high dispersion data to spectrum synthesis results for a 6000/0.5/-3.5 model using [C/H] = -1.0 around the region of the C I line at 2478.5 Å. The solid lines represent the continuum and line fluxes from the spectrum synthesis while the "+" symbols indicate the observed fluxes. Features surrounding the C I line are due to Fe I and Fe II.


abundance analyses are not presently understood but may be related to non-LTE effects. However, the basic pattern of the peculiar chemical abundances of HD 52961 are supported by this analysis of the UV spectrum.

#### References

Mathis, J.S., Lamers, H.J.G.L.M., 1992, A&A, 259, L39.
Oudmaijer, R.D., van der Veen, W.E.C.J., Waters, L.B.F.M., Trams, N.R., Waelkens, C., and Engelsman, E., 1992, A&A Suppl., 96, 625.
Waelkens, C., Van Winckel, H., Bogaert, E., and Trams, N., 1991, A&A, 251, 495.

LWP 2 images coadded large aperture exp (sec) 21000.000 Observation Date: 1992 day 75 at 15:55 absolute calibration: IUE news #41 (JUL 1990) THDA correction: 1.004 echelle ripple constants k = 231042. a = 0.00 alpha = 0.90 corrected for s/c motion of -25.9 km/sec





Form Approved OMB No. 0704-0188 REPORT DOCUMENTATION PAGE Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503. 1. AGENCY USE ONLY (Leave blank) 2. REPORT DATE 3. REPORT TYPE AND DATES COVERED March 1995 Contractor Report 5. FUNDING NUMBERS 4. TITLE AND SUBTITLE Beryllium and Born Abundances in Populuation II Stars Code 684.1 S-97228-E 6. AUTHOR(S) 7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) 8. PERFORMING ORGANIZATION REPORT NUMBER Computer Sciences Corporation 4061 Powder Mill Road **RHPU0429** Calverton, MD 20705 9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES) 10. SPONSORING/MONITORING **AGENCY REPORT NUMBER** NASA Aeronautics and Space Administration CR-189434 Washington, D.C. 20546-0001 11. SUPPLEMENTARY NOTES Technical Monitor: D. West, Code 684.1 12a. DISTRIBUTION/AVAILABILITY STATEMENT 12b. DISTRIBUTION CODE Unclassified-Unlimited Subject Category: 89 Report available from the NASA Center for AeroSpace Information, 800 Elkridge Landing Road, Linthicum Heights, MD 21090; (301) 621-0390. 13. ABSTRACT (Maximum 200 words) The scientific focus of this program was to undertake UV spectroscopic abundance analyses of extremely metal poor stars with attention paid to determining abundances of light elements such as Beryllium and Boron. The abundances are likely to reflect primordial abundances within the early galaxy and help to constrain models for early galactic nucleosynthesis. The general metal abundances of these stars are also important for understanding stellar evolution. 15. NUMBER OF PAGES 14. SUBJECT TERMS Stars, Beryllium, Boron, IUE 16. PRICE CODE 18. SECURITY CLASSIFICATION 19. SECURITY CLASSIFICATION 20. LIMITATION OF ABSTRACT 17. SECURITY CLASSIFICATION OF THIS PAGE OF ABSTRACT OF REPORT

Unlimited